


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06K	A2	(11) International Publication Number: WO 96/13015 (43) International Publication Date: 2 May 1996 (02.05.96)
<p>(21) International Application Number: PCT/US95/13203</p> <p>(22) International Filing Date: 13 October 1995 (13.10.95)</p> <p>(30) Priority Data: 08/323,118 14 October 1994 (14.10.94) US</p> <p>(71) Applicant: UNITED PARCEL SERVICE OF AMERICA, INC. [US/US]; 55 Glenlake Parkway, N.E., Atlanta, GA 30328 (US).</p> <p>(72) Inventors: KADABA, Nagesh; 5 Hearthstone Drive, Brookfield, CT 06804 (US). MOKTAN, Hridai; 14 Chatham Court, Brookfield, CT 06804 (US). PATEL, Mark; Apartment No. 8, 1 Luffberry Avenue, Norwalk, CT 06851 (US).</p> <p>(74) Agents: PAPPAS, Peter, G. et al.; Jones & Askew, 37th floor, 191 Peachtree Street, N.E., Atlanta, GA 30303-1769 (US).</p>		<p>(81) Designated States: CA, JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>Without international search report and to be republished upon receipt of that report.</i></p>

(54) Title: MULTI-STAGE PARCEL TRACKING SYSTEM



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

5

10

1

15

MULTI-STAGE PARCEL TRACKING SYSTEM

Technical Field

20 The present invention relates to parcel tracking systems using portable data entry terminals, and more particularly relates to a local parcel tracking system using a hand-held, data entry and processing unit that can perform tracking analysis on data it has collected.

25 Background Art

Parcel delivery companies, such as United Parcel Service, have long maintained records to be able to verify deliveries. More recently, such companies have begun to guarantee overnight delivery of parcels, and therefore have a need for rapid access to information verifying on-time delivery, including a record of the signature of the recipient. The word "parcel" is used herein broadly to include any item handled by delivery services, such as packages, letters, containers, or
35 unpackaged items.

Typically, a delivery vehicle driver leaves the vehicle with one or more parcels and a portable data acquisition device, such as the Delivery Information Acquisition Device (DIAD) device used by UPS drivers. The DIAD device includes a bar code scanner for reading a bar code label placed on the parcel by the sender, and a signature capture pad. This information is stored temporarily in the unit, and then transferred via an optical link to a docking station located in the vehicle. From this station, the information is transmitted to a central tracking computer via a cellular telephone network. Other systems use radio frequency (RF) networks to relay tracking information to a central computer.

If the sender or an intended recipient needs to know the status of the parcel, that person can access the information in the central tracking computer either by calling the parcel delivery service or by sending an inquiry from a personal computer linked by modem to the central computer. However, until the tracking information pertaining to a parcel is uploaded from the DIAD into the central computer, it is not accessible to the tracking system. In particular, if the driver delivers several parcels during one foray from the vehicle, the portable acquisition device does not have the capability to provide tracking information contained in its own memory. The information is not available until the driver returns to the vehicle and uploads the information into the central system.

Present parcel delivery tracking systems track parcels only to a customer's mail room, reception desk, or other receiving location. The customer may have a personal computer in communication with the parcel delivery service's central tracking computer to facilitate tracking of parcels sent from or received by the

customer's mail room. Between the sender and the mail room of the recipient company, the tracking system may receive data (such as by scanning a bar code) at several stages of delivery, such as regional and local sorting hubs. However, in many large companies, the further process of delivering a parcel to an individual within the company and verifying such delivery is another major stage in the delivery process. Currently, convenient and automated tracking of such internal deliveries is not available. Nor is the status of the parcel during the internal delivery stage part of the tracking information available through the delivery service's central computer or through personal computer systems in the customer's mail room.

Although prior portable data acquisition terminals have included both bar code scanners and signature capture pads, the scanners have often been built in to the unit housing or provided as a wand or point-and-shoot device attached by cable to the terminal, while entry of a signature has required a separate tool in the nature of a stylus. When the scanner is built into the terminal, it may be difficult to maneuver the terminal into the correct orientation to scan a bar code. When a separate wand or the like is attached, the user has the inconvenience of looking after separate tools for scanning and signature entry.

Thus, there has been a need for a parcel tracking system that can track parcels during the internal stage of delivery after receipt of the parcel from a parcel delivery service, using an efficient device that can obtain signatures of recipients and scan codes printed on parcel labels, and can respond to tracking inquiries prior to transferring collected information to a different computer.

Summary of the Invention

5 The present invention meets the above-described need in the art by providing a delivery tracking system capable of tracking parcels during an internal stage of delivery within an organization after receipt of the parcel from a parcel delivery service. The system utilizes an intelligent, hand-held, portable data entry and data processing device to obtain signatures of recipients and scan codes printed on parcel labels, and to respond to tracking inquiries prior to transferring collected information to a different computer.

10 Generally described, the present invention provides an electronic parcel tracking system for use by an organization, comprising an intelligent hand-held, portable data entry and data processing device, which includes a wand-mounted symbol reader, a data entry and display screen capable of receiving and displaying information, including signature information, input by contact with the screen, an information storage device, a data transfer device, and a processor connected to the reader, the screen, the storage device, and the data transfer device. The processor is configured to associate and store in the information storage device data related to a particular parcel, including symbol information read by the reader, signature information acquired by the screen, and keyed information acquired by the screen, and to respond to queries about the particular parcel entered via the screen by displaying the data associated with the parcel.

15 20 25 30 35 Preferably, the data transfer device is selectively operable to transfer information from the information storage device to a personal computer system located at a parcel receiving location of the organization. Also, the portable data entry device may be equipped with a modem for transferring information related to a

particular parcel between the information storage device and a central computer system located at a parcel delivery firm.

5 In a preferred embodiment, the wand-mounted symbol reader may have a transparent tip capable of inputting data into the screen by contact therewith, and thus may perform the dual functions of scanner and stylus.

10 In the context of multi-stage parcel delivery, the present invention might typically be used as follows. A parcel dropped at a mail room or other receiving location of an organization may be logged into a portable data entry and data processing device, such as a
15 personal digital assistant (PDA), equipped with a wand-mounted bar code reader. Logging in may be accomplished by scanning a bar code, keying in information using the data entry screen of the PDA, or downloading information from another device via a
20 cable or an optical link. The parcel information is stored in memory in the PDA. For the internal stage of delivery, a mail room clerk or other person takes the parcel to the intended recipient or arranges for the recipient to pick up the parcel. Upon this delivery, the
25 clerk checks out the parcel, preferably by scanning the bar code again with the wand scanner, and then having the recipient sign the screen of the PDA using the wand as a stylus.

30 The PDA is programmed to allow the clerk to obtain tracking information from the PDA memory by date, by time, by tracking identification number, by name of recipient, or by destination location of the intended recipient. The PDA will display the location of the parcel as well as its "scan history" within the organization and, by modem communication with a
35 central tracking computer of the parcel delivery firm.

its history prior to receipt at the mail room. At the end of a selected period of time, such as daily, the information file accumulated within the PDA memory is loaded up into an on-site personal computer (PC) using a communications interface, such as a wireless infrared link. The PC may be used to consolidate information gathered by multiple PDAs, to search for tracking information, and to display captured signatures. Many variations of the foregoing procedure are possible.

According to another aspect of the invention, an electronic data acquisition and storage apparatus is provided, comprising a touch sensitive data entry and display screen, a wand scanner configured to read bar codes and having a transparent tip capable of inputting data into the screen by contact therewith, and an information storage device connected to receive data from the screen and from the scanner. In such an apparatus, it is not necessary to provide both a scanner for acquiring bar codes or the like, and also a stylus for entering handwriting on the screen or engaging keys or buttons defined on the screen. The method of operation of such an apparatus may include the steps of scanning bar code information with the wand scanner, transmitting the bar code information to a processor in the apparatus, and engaging the tip of the wand scanner with the data entry and display screen to cause touch sensitive data entry into the processor.

Thus, the present invention provides an improved portable parcel tracking system including an intelligent hand-held, portable data entry and data processing device for parcel tracking, capable of responding to tracking queries using information acquired by and stored in the device. The data processing device of the

present invention is capable of sharing tracking data with remote computers. The present invention also encompasses a data entry tool capable of entering both scanned and touch generated data into an electronic data acquisition and storage apparatus. This provides an efficient method of entering both scanned and touch generated data into an electronic data acquisition and storage apparatus. Other advantages of the present invention will become apparent upon examining the following description of preferred embodiments of the invention, when taken in conjunction with the drawings and the appended claims.

Brief Description of the Drawings

Fig. 1 is a block diagram of a parcel tracking system embodying the present invention.

Fig. 2 is a diagrammatic front plan view of a portable data entry and data processing device utilized in the system of Fig. 1.

Fig. 3 is flow diagram showing the sequence of steps of the operation of a system embodying the present invention.

Fig. 4A-4F is a sequence of screens of the portable data entry and data processing device observed during parcel check-in.

Fig. 5A-5F is a sequence of screens of the portable data entry and data processing device observed during parcel check-out.

Fig. 6 is a flow diagram outlining the steps of the technique of the present invention for entering and responding to a tracking query.

Fig. 7A-7F is a sequence of screens of the portable data entry and data processing device observed during an internal tracking query.

5 Fig. 8A-8F is a sequence of screens of the portable data entry and data processing device observed during use of utilities related to tracking management.

Fig. 9A is a main menu screen of the mail room PC to which data is downloaded from the portable data entry and data processing device.

10 Fig. 9B is a screen of the mail room PC showing data transfer activity.

Fig. 10A is a report selection screen of the mail room PC.

15 Fig. 10B is a screen of the mail room PC showing a listing of checked-out parcels.

Detailed Description

Referring now in more detail to the drawings, in which like numerals refer to like parts throughout the several views, Fig. 1 shows a parcel tracking system 10
20 embodying the present invention in block diagram form. Referring to Figs. 1 and 2, the system 10 includes an intelligent, hand-held, portable data entry and data
25 processing device 12, of the type known as a personal digital assistant (PDA). The PDA 12 includes a touch-sensitive data entry and display screen 14 capable of interpreting handwriting and of defining button or key
30 areas 15. For example, the screen may display a typewriter keyboard, a numeric keypad, or buttons programmed to allow a user to cause certain operations to occur. A cursor controller 16 mounted on the housing of the PDA enables movement of a cursor on the screen 14 by manual manipulation of the controller 16 in a known manner. A preferred PDA for use in

connection with the present invention is model Z-7000 manufactured by Casio.

5 The PDA 12 includes a processor or CPU 17 which is operative to control various devices within the PDA. The processor 17 is connected to a screen driver
circuit 14a, which operates the data acquisition and display functions of the screen 14. The processor also is
connected to a memory device 18, which may be RAM (protected by a battery back up), a removable memory
10 card, or other memory capable of use with a PDA. An input/output (I/O) circuit 20, connected to the processor 17, controls communications between the PDA and external devices through a modem 22, an infrared port
23, and a wand scanner 25. The modem may be an
15 internal modem or a plug-in peripheral type, and preferably is a model XJACK fax modem card by Megahertz. The infrared port 23 is a known device commonly built into PDAs for communication with other PDAs and PCs.

20 The wand scanner 25 is preferably a model Scanteam 6180 by Welch Allyn. The scanner 25 includes a light source and detector for reading bar codes as the tip 25 of the wand is swept across a bar
code 30 as shown in Fig. 2. The tip 25 is made of hard,
25 transparent glass or plastic to withstand repeated drawing across surfaces on which bar codes have been printed. The scanner 25 also includes within the wand a detector for detecting the light reflected from the bar
code 30 and circuitry for decoding the detector output.
30 A resulting signal containing the contents of the bar code 30 is transmitted to the I/O circuit 20 via a cable 27 plugged into a communications port of the PDA. The wand scanner may require a battery pack (not
shown) for operating power. The battery pack can be
35 attached to the PDA 12.

The system 10 also may include a portable data acquisition device 35, such as a UPS DIAD device. The DIAD device incorporates an optical data port 37, which can transmit data to a compatible peripheral optical data port 38 that is plugged into a communications port of the PDA 12. Other portable data acquisition devices can be used, and they may be interfaced to an RS-232 port of the PDA in a conventional manner for data transfer with the PDA by known means, such as cable, RF link, infrared link, or optical link.

The system 10 may further include a personal computer 40 or other computer equipped with an infrared port 42 compatible with the infrared port 23 of the PDA 12. The infrared port 42 is preferably that sold by AST. The principal use of this infrared link in the present invention is to upload tracking information acquired by the PDA into the PC 40. The PC 40 then can be used as a station to search for or print parcel delivery status information. With appropriate programming of the PC 40 and PDA 12, information can be downloaded from the PC into the memory 18 of the PDA. As alternatives to the infrared port, data communication between the PC and the PDA may be over known means, such as cable, RF link, infrared link, or optical link.

As also shown in Fig. 1, the PDA 12 may be connected to a remote central tracking computer 45 via normal or cellular telephone lines using the modem 22 and a compatible modem in the computer 45. In this way the PDA can access tracking information stored in the central computer 45 and can receive such information from the computer 45.

A printer 48 may be included in the system and selectively connected to the PC 40 or the PDA 12 by appropriate cables.

In addition to being used to scan bar codes, the wand 25 also is used to enter data via the touch-sensitive screen 14. This is done by engaging the tip 26 of the wand against the screen to enter data either by pressing buttons or keys 15 defined by the screen display, or by writing on the screen. In particular, a recipient of a parcel may use the wand to enter his or her signature into the PDA to verify receipt of the parcel. The signature information is stored in the memory 18 and is associated with other information related to the same package, such as a tracking identification number obtained by scanning the bar code 30. A system according to the present invention needs no stylus in addition to the wand 25.

Fig. 3 shows diagrammatically an overview of the operation of the parcel tracking system 10, while Figs 4-7 show more details of the sequence of steps involved. At block 301 of Fig. 3, an employee of a parcel delivery service, such as the driver of a vehicle 300, drops off one or more parcels, packages, or letters at a mail room of a company that is a customer of the parcel delivery service. A customer employee at the site, referred to herein as a "clerk," operates the PDA to check in the items in one of two ways: (1) by scanning a bar code 30 on the item using the wand 25, or (2) by downloading the tracking information relating to the items into the PDA memory from the driver's portable data acquisition device, such as the DIAD device shown. The downloaded information may include a tracking identification number, the identity of the sender, the identity of the intended recipient, and the "scan history" of the item, namely, a list of the stations or hubs along the item's route at which the parcel delivery service scanned the bar code on the item. The downloading

check-in alternative (2) will be used more often when a large number of parcels are delivered to the mail room.

5 The information obtained from scanning the bar code 30 according the wand check-in alternative (1) will generally be the tracking number, which can be used to access other tracking information stored in the central tracking computer 45. The tracking number of the parcel is associated in the memory 18 with the date and time the parcel is checked in. Fig. 4 shows the sequence of PDA screens which appear during the check-in procedure. Viewing the main menu screen of Fig. 4A, the clerk "clicks" on the button "Check in Packages" or touches the button with the wand tip 26. A screen appears as in Fig. 4B, displaying a menu for selecting either "Scanner Input" or "DIAD Input". If "Scanner Input" is tapped, a new screen appears as in Fig. 4C with an instruction to scan in any new packages and a message that the PDA is ready to scan. When the clerk successfully operates the wand 25 to acquire the bar code information, the tracking number of the parcel is displayed along with the date and time it is checked in, as shown in Fig. 4D. This information is stored in the PDA memory 18. The procedure is closed by tapping the appropriate button on the screen when finished.

25 If "DIAD Input" is tapped, a DIAD interface screen appears as in Fig. 4E, and the clerk taps a button "DIAD receive mode," to ready the PDA for incoming data. A holding message "Waiting for Data from DIAD" is displayed. When the transfer is complete, a screen appears as in Fig. 4F indicating that a file has been created for the transferred data, the total number of parcels received, the check-in date, and the check-in time. Tapping on a "Done" button returns the clerk to the main menu.

At block 302, distribution of the parcels from the clerk to a recipient occurs. The PDA 12 is conveniently small and light weight and therefore may be carried by a mail clerk on rounds to deliver parcels to recipients at various locations around the organization. At each stop, or at the mail room if the recipient comes to pick up the parcel, the check-out procedure shown in Fig. 5 is carried out. The clerk clicks or touches the button "Check Out" as shown in Fig. 5A, and a screen is displayed as in Fig. 5B instructing the user to scan the packages to be checked out. When the clerk scans a bar code 30 using the wand 25, the tracking number of the parcel and the date and time appear on the screen, as in Fig. 5C, and a message is displayed that a package has been added successfully to the list of packages being delivered to a particular recipient. When all of such packages have been scanned, the clerk taps a button to "Continue" and views a screen as in Fig. 5D, with windows for entering the recipient's first and last names and a keyboard display for using the wand tip to tap the name into the window. Or, the screen may present a list (not shown) of possible recipients' names for selection. Such a list may be compiled from the data downloaded into the PDA at check-in. Upon entering the name, a screen as in Fig. 5E appears, presenting the clerk with a list of possible recipient locations. The clerk taps a location and it appears in a window on the screen. The clerk taps "Continue" and the screen of Fig. 5F appears. The clerk hands the PDA to the recipient, who is presented with a list of the parcels that have been delivered, and instructed to sign for them in a window. After the signature is acquired, as shown in Fig. 5F, the recipient taps a "Confirm" button to approve the verifying information and close the check-out routine, and hands the PDA back to the clerk.

FOR THE PURPOSES OF INFORMATION ONLY			
Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.			
AT	Austria	GB	United Kingdom
AU	Australia	GE	Georgia
BB	Barbados	GN	Guinea
BE	Belgium	GR	Greece
BF	Burkina Faso	HU	Hungary
BG	Bulgaria	IE	Ireland
BJ	Benin	IT	Italy
BR	Brazil	JP	Japan
BY	Belarus	KE	Kenya
CA	Canada	KG	Kyrgyzstan
CF	Central African Republic	KP	Democratic People's Republic of Korea
CG	Congo	KR	Republic of Korea
CH	Switzerland	KZ	Kazakhstan
CI	Côte d'Ivoire	LI	Liechtenstein
CM	Cameroon	LK	Sri Lanka
CN	China	LU	Luxembourg
CS	Czechoslovakia	LV	Latvia
CZ	Czech Republic	MC	Monaco
DE	Germany	MD	Republic of Moldova
DK	Denmark	MG	Madagascar
ES	Spain	ML	Mali
FI	Finland	MN	Mongolia
FR	France		
GA	Gabon		
		MR	Mauntania
		MW	Malawi
		NE	Niger
		NL	Netherlands
		NO	Norway
		NZ	New Zealand
		PL	Poland
		PT	Portugal
		RO	Romania
		RU	Russian Federation
		SD	Sudan
		SE	Sweden
		SI	Slovenia
		SK	Slovakia
		SN	Senegal
		TD	Chad
		TG	Togo
		TJ	Tajikistan
		TT	Trinidad and Tobago
		UA	Ukraine
		US	United States of America
		UZ	Uzbekistan
		VN	Viet Nam

FOR THE PURPOSES OF INFORMATION ONLY			
Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.			
AT	Austria	GB	United Kingdom
AU	Australia	GE	Georgia
BB	Barbados	GN	Guinea
BE	Belgium	GR	Greece
BF	Burkina Faso	HU	Hungary
BG	Bulgaria	IE	Ireland
BJ	Benin	IT	Italy
BR	Brazil	JP	Japan
BY	Belarus	KE	Kenya
CA	Canada	KG	Kyrgyzstan
CF	Central African Republic	KP	Democratic People's Republic of Korea
CG	Congo	KR	Republic of Korea
CH	Switzerland	KZ	Kazakhstan
CI	Côte d'Ivoire	LI	Liechtenstein
CM	Cameroon	LK	Sri Lanka
CN	China	LU	Luxembourg
CS	Czechoslovakia	LV	Latvia
CZ	Czech Republic	MC	Monaco
DE	Germany	MD	Republic of Moldova
DK	Denmark	MG	Madagascar
ES	Spain	ML	Mali
FI	Finland	MN	Mongolia
FR	France		
GA	Gabon		
		MR	Mauntania
		MW	Malawi
		NE	Niger
		NL	Netherlands
		NO	Norway
		NZ	New Zealand
		PL	Poland
		PT	Portugal
		RO	Romania
		RU	Russian Federation
		SD	Sudan
		SE	Sweden
		SI	Slovenia
		SK	Slovakia
		SN	Senegal
		TD	Chad
		TG	Togo
		TJ	Tajikistan
		TT	Trinidad and Tobago
		UA	Ukraine
		US	United States of America
		UZ	Uzbekistan
		VN	Viet Nam

FOR THE PURPOSES OF INFORMATION ONLY			
Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.			
AT	Austria	GB	United Kingdom
AU	Australia	GE	Georgia
BB	Barbados	GN	Guinea
BE	Belgium	GR	Greece
BF	Burkina Faso	HU	Hungary
BG	Bulgaria	IE	Ireland
BJ	Benin	IT	Italy
BR	Brazil	JP	Japan
BY	Belarus	KE	Kenya
CA	Canada	KG	Kyrgyzstan
CF	Central African Republic	KP	Democratic People's Republic of Korea
CG	Congo	KR	Republic of Korea
CH	Switzerland	KZ	Kazakhstan
CI	Côte d'Ivoire	LI	Liechtenstein
CM	Cameroon	LK	Sri Lanka
CN	China	LU	Luxembourg
CS	Czechoslovakia	LV	Latvia
CZ	Czech Republic	MC	Monaco
DE	Germany	MD	Republic of Moldova
DK	Denmark	MG	Madagascar
ES	Spain	ML	Mali
FI	Finland	MN	Mongolia
FR	France		
GA	Gabon		
		MR	Mauntania
		MW	Malawi
		NE	Niger
		NL	Netherlands
		NO	Norway
		NZ	New Zealand
		PL	Poland
		PT	Portugal
		RO	Romania
		RU	Russian Federation
		SD	Sudan
		SE	Sweden
		SI	Slovenia
		SK	Slovakia
		SN	Senegal
		TD	Chad
		TG	Togo
		TJ	Tajikistan
		TT	Trinidad and Tobago
		UA	Ukraine
		US	United States of America
		UZ	Uzbekistan
		VN	Viet Nam

5

10

1

15

MULTI-STAGE PARCEL TRACKING SYSTEM

Technical Field

20 The present invention relates to parcel tracking systems using portable data entry terminals, and more particularly relates to a local parcel tracking system using a hand-held, data entry and processing unit that can perform tracking analysis on data it has collected.

25 Background Art

Parcel delivery companies, such as United Parcel Service, have long maintained records to be able to verify deliveries. More recently, such companies have begun to guarantee overnight delivery of parcels, and therefore have a need for rapid access to information verifying on-time delivery, including a record of the signature of the recipient. The word "parcel" is used herein broadly to include any item handled by delivery services, such as packages, letters, containers, or unpackaged items.

30

35

Typically, a delivery vehicle driver leaves the vehicle with one or more parcels and a portable data acquisition device, such as the Delivery Information Acquisition Device (DIAD) device used by UPS drivers. The DIAD device includes a bar code scanner for reading a bar code label placed on the parcel by the sender, and a signature capture pad. This information is stored temporarily in the unit, and then transferred via an optical link to a docking station located in the vehicle. From this station, the information is transmitted to a central tracking computer via a cellular telephone network. Other systems use radio frequency (RF) networks to relay tracking information to a central computer.

If the sender or an intended recipient needs to know the status of the parcel, that person can access the information in the central tracking computer either by calling the parcel delivery service or by sending an inquiry from a personal computer linked by modem to the central computer. However, until the tracking information pertaining to a parcel is uploaded from the DIAD into the central computer, it is not accessible to the tracking system. In particular, if the driver delivers several parcels during one foray from the vehicle, the portable acquisition device does not have the capability to provide tracking information contained in its own memory. The information is not available until the driver returns to the vehicle and uploads the information into the central system.

Present parcel delivery tracking systems track parcels only to a customer's mail room, reception desk, or other receiving location. The customer may have a personal computer in communication with the parcel delivery service's central tracking computer to facilitate tracking of parcels sent from or received by the

customer's mail room. Between the sender and the mail room of the recipient company, the tracking system may receive data (such as by scanning a bar code) at several stages of delivery, such as regional and local sorting hubs. However, in many large companies, the further process of delivering a parcel to an individual within the company and verifying such delivery is another major stage in the delivery process. Currently, convenient and automated tracking of such internal deliveries is not available. Nor is the status of the parcel during the internal delivery stage part of the tracking information available through the delivery service's central computer or through personal computer systems in the customer's mail room.

Although prior portable data acquisition terminals have included both bar code scanners and signature capture pads, the scanners have often been built in to the unit housing or provided as a wand or point-and-shoot device attached by cable to the terminal, while entry of a signature has required a separate tool in the nature of a stylus. When the scanner is built into the terminal, it may be difficult to maneuver the terminal into the correct orientation to scan a bar code. When a separate wand or the like is attached, the user has the inconvenience of looking after separate tools for scanning and signature entry.

Thus, there has been a need for a parcel tracking system that can track parcels during the internal stage of delivery after receipt of the parcel from a parcel delivery service, using an efficient device that can obtain signatures of recipients and scan codes printed on parcel labels, and can respond to tracking inquiries prior to transferring collected information to a different computer.

Summary of the Invention

5 The present invention meets the above-described need in the art by providing a delivery tracking system capable of tracking parcels during an internal stage of delivery within an organization after receipt of the parcel from a parcel delivery service. The system utilizes an intelligent, hand-held, portable data entry and data processing device to obtain signatures of recipients and scan codes printed on parcel labels, and to respond to tracking inquiries prior to transferring collected information to a different computer.

10 Generally described, the present invention provides an electronic parcel tracking system for use by an organization, comprising an intelligent hand-held, portable data entry and data processing device, which includes a wand-mounted symbol reader, a data entry and display screen capable of receiving and displaying information, including signature information, input by contact with the screen, an information storage device, a data transfer device, and a processor connected to the reader, the screen, the storage device, and the data transfer device. The processor is configured to associate and store in the information storage device data related to a particular parcel, including symbol information read by the reader, signature information acquired by the screen, and keyed information acquired by the screen, and to respond to queries about the particular parcel entered via the screen by displaying the data associated with the parcel.

15 20 25 30 35 Preferably, the data transfer device is selectively operable to transfer information from the information storage device to a personal computer system located at a parcel receiving location of the organization. Also, the portable data entry device may be equipped with a modem for transferring information related to a

particular parcel between the information storage device and a central computer system located at a parcel delivery firm.

5 In a preferred embodiment, the wand-mounted symbol reader may have a transparent tip capable of inputting data into the screen by contact therewith, and thus may perform the dual functions of scanner and stylus.

10 In the context of multi-stage parcel delivery, the present invention might typically be used as follows. A parcel dropped at a mail room or other receiving location of an organization may be logged into a portable data entry and data processing device, such as a personal digital assistant (PDA), equipped with a wand-
15 mounted bar code reader. Logging in may be accomplished by scanning a bar code, keying in information using the data entry screen of the PDA, or downloading information from another device via a cable or an optical link. The parcel information is
20 stored in memory in the PDA. For the internal stage of delivery, a mail room clerk or other person takes the parcel to the intended recipient or arranges for the recipient to pick up the parcel. Upon this delivery, the clerk checks out the parcel, preferably by scanning the
25 bar code again with the wand scanner, and then having the recipient sign the screen of the PDA using the wand as a stylus.

The PDA is programmed to allow the clerk to obtain tracking information from the PDA memory by
30 date, by time, by tracking identification number, by name of recipient, or by destination location of the intended recipient. The PDA will display the location of the parcel as well as its "scan history" within the organization and, by modem communication with a
35 central tracking computer of the parcel delivery firm,

its history prior to receipt at the mail room. At the end of a selected period of time, such as daily, the information file accumulated within the PDA memory is loaded up into an on-site personal computer (PC) using a communications interface, such as a wireless infrared link. The PC may be used to consolidate information gathered by multiple PDAs, to search for tracking information, and to display captured signatures. Many variations of the foregoing procedure are possible.

According to another aspect of the invention, an electronic data acquisition and storage apparatus is provided, comprising a touch sensitive data entry and display screen, a wand scanner configured to read bar codes and having a transparent tip capable of inputting data into the screen by contact therewith, and an information storage device connected to receive data from the screen and from the scanner. In such an apparatus, it is not necessary to provide both a scanner for acquiring bar codes or the like, and also a stylus for entering handwriting on the screen or engaging keys or buttons defined on the screen. The method of operation of such an apparatus may include the steps of scanning bar code information with the wand scanner, transmitting the bar code information to a processor in the apparatus, and engaging the tip of the wand scanner with the data entry and display screen to cause touch sensitive data entry into the processor.

Thus, the present invention provides an improved portable parcel tracking system including an intelligent hand-held, portable data entry and data processing device for parcel tracking, capable of responding to tracking queries using information acquired by and stored in the device. The data processing device of the

present invention is capable of sharing tracking data with remote computers. The present invention also encompasses a data entry tool capable of entering both scanned and touch generated data into an electronic data acquisition and storage apparatus. This provides an efficient method of entering both scanned and touch generated data into an electronic data acquisition and storage apparatus. Other advantages of the present invention will become apparent upon examining the following description of preferred embodiments of the invention, when taken in conjunction with the drawings and the appended claims.

Brief Description of the Drawings

Fig. 1 is a block diagram of a parcel tracking system embodying the present invention.

Fig. 2 is a diagrammatic front plan view of a portable data entry and data processing device utilized in the system of Fig. 1.

Fig. 3 is flow diagram showing the sequence of steps of the operation of a system embodying the present invention.

Fig. 4A-4F is a sequence of screens of the portable data entry and data processing device observed during parcel check-in.

Fig. 5A-5F is a sequence of screens of the portable data entry and data processing device observed during parcel check-out.

Fig. 6 is a flow diagram outlining the steps of the technique of the present invention for entering and responding to a tracking query.

Fig. 7A-7F is a sequence of screens of the portable data entry and data processing device observed during an internal tracking query.

5 Fig. 8A-8F is a sequence of screens of the portable data entry and data processing device observed during use of utilities related to tracking management.

Fig. 9A is a main menu screen of the mail room PC to which data is downloaded from the portable data entry and data processing device.

10 Fig. 9B is a screen of the mail room PC showing data transfer activity.

Fig. 10A is a report selection screen of the mail room PC.

15 Fig. 10B is a screen of the mail room PC showing a listing of checked-out parcels.

Detailed Description

Referring now in more detail to the drawings, in which like numerals refer to like parts throughout the several views, Fig. 1 shows a parcel tracking system 10
20 embodying the present invention in block diagram form. Referring to Figs. 1 and 2, the system 10 includes an intelligent, hand-held, portable data entry and data
25 processing device 12, of the type known as a personal digital assistant (PDA). The PDA 12 includes a touch-sensitive data entry and display screen 14 capable of interpreting handwriting and of defining button or key
30 areas 15. For example, the screen may display a typewriter keyboard, a numeric keypad, or buttons programmed to allow a user to cause certain operations to occur. A cursor controller 16 mounted on the housing of the PDA enables movement of a cursor on the screen 14 by manual manipulation of the controller 16 in a known manner. A preferred PDA for use in

connection with the present invention is model Z-7000 manufactured by Casio.

5 The PDA 12 includes a processor or CPU 17 which is operative to control various devices within the PDA. The processor 17 is connected to a screen driver
circuit 14a, which operates the data acquisition and display functions of the screen 14. The processor also is
10 connected to a memory device 18, which may be RAM (protected by a battery back up), a removable memory card, or other memory capable of use with a PDA. An
input/output (I/O) circuit 20, connected to the processor
17, controls communications between the PDA and
15 external devices through a modem 22, an infrared port 23, and a wand scanner 25. The modem may be an internal modem or a plug-in peripheral type, and preferably is a model XJACK fax modem card by
Megahertz. The infrared port 23 is a known device
commonly built into PDAs for communication with
other PDAs and PCs.

20 The wand scanner 25 is preferably a model Scanteam 6180 by Welch Allyn. The scanner 25 includes a light source and detector for reading bar
codes as the tip 25 of the wand is swept across a bar
code 30 as shown in Fig. 2. The tip 25 is made of hard,
25 transparent glass or plastic to withstand repeated
drawing across surfaces on which bar codes have been
printed. The scanner 25 also includes within the wand a
detector for detecting the light reflected from the bar
code 30 and circuitry for decoding the detector output.
30 A resulting signal containing the contents of the bar
code 30 is transmitted to the I/O circuit 20 via a cable
27 plugged into a communications port of the PDA.
The wand scanner may require a battery pack (not
shown) for operating power. The battery pack can be
35 attached to the PDA 12.

The system 10 also may include a portable data acquisition device 35, such as a UPS DIAD device. The DIAD device incorporates an optical data port 37, which can transmit data to a compatible peripheral optical data port 38 that is plugged into a communications port of the PDA 12. Other portable data acquisition devices can be used, and they may be interfaced to an RS-232 port of the PDA in a conventional manner for data transfer with the PDA by known means, such as cable, RF link, infrared link, or optical link.

The system 10 may further include a personal computer 40 or other computer equipped with an infrared port 42 compatible with the infrared port 23 of the PDA 12. The infrared port 42 is preferably that sold by AST. The principal use of this infrared link in the present invention is to upload tracking information acquired by the PDA into the PC 40. The PC 40 then can be used as a station to search for or print parcel delivery status information. With appropriate programming of the PC 40 and PDA 12, information can be downloaded from the PC into the memory 18 of the PDA. As alternatives to the infrared port, data communication between the PC and the PDA may be over known means, such as cable, RF link, infrared link, or optical link.

As also shown in Fig. 1, the PDA 12 may be connected to a remote central tracking computer 45 via normal or cellular telephone lines using the modem 22 and a compatible modem in the computer 45. In this way the PDA can access tracking information stored in the central computer 45 and can receive such information from the computer 45.

A printer 48 may be included in the system and selectively connected to the PC 40 or the PDA 12 by appropriate cables.

In addition to being used to scan bar codes, the wand 25 also is used to enter data via the touch-sensitive screen 14. This is done by engaging the tip 26 of the wand against the screen to enter data either by pressing buttons or keys 15 defined by the screen display, or by writing on the screen. In particular, a recipient of a parcel may use the wand to enter his or her signature into the PDA to verify receipt of the parcel. The signature information is stored in the memory 18 and is associated with other information related to the same package, such as a tracking identification number obtained by scanning the bar code 30. A system according to the present invention needs no stylus in addition to the wand 25.

Fig. 3 shows diagrammatically an overview of the operation of the parcel tracking system 10, while Figs 4-7 show more details of the sequence of steps involved. At block 301 of Fig. 3, an employee of a parcel delivery service, such as the driver of a vehicle 300, drops off one or more parcels, packages, or letters at a mail room of a company that is a customer of the parcel delivery service. A customer employee at the site, referred to herein as a "clerk," operates the PDA to check in the items in one of two ways: (1) by scanning a bar code 30 on the item using the wand 25, or (2) by downloading the tracking information relating to the items into the PDA memory from the driver's portable data acquisition device, such as the DIAD device shown. The downloaded information may include a tracking identification number, the identity of the sender, the identity of the intended recipient, and the "scan history" of the item, namely, a list of the stations or hubs along the item's route at which the parcel delivery service scanned the bar code on the item. The downloading

check-in alternative (2) will be used more often when a large number of parcels are delivered to the mail room.

5 The information obtained from scanning the bar code 30 according the wand check-in alternative (1) will generally be the tracking number, which can be used to access other tracking information stored in the central tracking computer 45. The tracking number of the parcel is associated in the memory 18 with the date and time the parcel is checked in. Fig. 4 shows the sequence of PDA screens which appear during the check-in procedure. Viewing the main menu screen of Fig. 4A, the clerk "clicks" on the button "Check in Packages" or touches the button with the wand tip 26. A screen appears as in Fig. 4B, displaying a menu for selecting either "Scanner Input" or "DIAD Input". If "Scanner Input" is tapped, a new screen appears as in Fig. 4C with an instruction to scan in any new packages and a message that the PDA is ready to scan. When the clerk successfully operates the wand 25 to acquire the bar code information, the tracking number of the parcel is displayed along with the date and time it is checked in, as shown in Fig. 4D. This information is stored in the PDA memory 18. The procedure is closed by tapping the appropriate button on the screen when finished.

25 If "DIAD Input" is tapped, a DIAD interface screen appears as in Fig. 4E, and the clerk taps a button "DIAD receive mode," to ready the PDA for incoming data. A holding message "Waiting for Data from DIAD" is displayed. When the transfer is complete, a screen appears as in Fig. 4F indicating that a file has been created for the transferred data, the total number of parcels received, the check-in date, and the check-in time. Tapping on a "Done" button returns the clerk to the main menu.

At block 302, distribution of the parcels from the clerk to a recipient occurs. The PDA 12 is conveniently small and light weight and therefore may be carried by a mail clerk on rounds to deliver parcels to recipients at various locations around the organization. At each stop, or at the mail room if the recipient comes to pick up the parcel, the check-out procedure shown in Fig. 5 is carried out. The clerk clicks or touches the button "Check Out" as shown in Fig. 5A, and a screen is displayed as in Fig. 5B instructing the user to scan the packages to be checked out. When the clerk scans a bar code 30 using the wand 25, the tracking number of the parcel and the date and time appear on the screen, as in Fig. 5C, and a message is displayed that a package has been added successfully to the list of packages being delivered to a particular recipient. When all of such packages have been scanned, the clerk taps a button to "Continue" and views a screen as in Fig. 5D, with windows for entering the recipient's first and last names and a keyboard display for using the wand tip to tap the name into the window. Or, the screen may present a list (not shown) of possible recipients' names for selection. Such a list may be compiled from the data downloaded into the PDA at check-in. Upon entering the name, a screen as in Fig. 5E appears, presenting the clerk with a list of possible recipient locations. The clerk taps a location and it appears in a window on the screen. The clerk taps "Continue" and the screen of Fig. 5F appears. The clerk hands the PDA to the recipient, who is presented with a list of the parcels that have been delivered, and instructed to sign for them in a window. After the signature is acquired, as shown in Fig. 5F, the recipient taps a "Confirm" button to approve the verifying information and close the check-out routine, and hands the PDA back to the clerk.

Returning to Fig. 3, at block 303 a procedure for making a tracking query is indicated. The tracking procedure is illustrated in more detail in the flow chart of Fig. 6 and the screen sequence of Fig. 7. From the main menu as shown in Fig. 7A, the clerk taps the button "Track Packages" and is presented with a query mode selection screen as in Fig. 7B for selecting "Internal Deliveries," that is, deliveries checked in or out by the PDA 12, or "TotalTrack," which refers to an external tracking database stored in the remote central computer 45. Referring to Fig. 6, upon such entry of the type of query, at block 601, the processor determines which button, internal or external query, has been tapped.

If an internal query has been selected, the clerk is presented with the screen of Fig. 7C and asked to select a query mode: by date, by name of recipient, by tracking number, or by location of intended recipients. The clerk taps the appropriate button on the screen. The clerk then may use the keypad display to enter the desired date, name, or at least the last three digits of the tracking number. If a query by location has been selected, the clerk is presented with a screen as in Fig. 7D containing a list of possible locations. Upon tapping a particular location, it is displayed in a window. The above selection step corresponds to data input block 603 in Fig. 6. After the query mode and request data have been entered, the processor determines which mode has been selected at block 604. If a recipient's name has been entered, at block 605 the processor accesses the memory 18 and retrieves a list of the tracking numbers of parcels that have been signed out to the identified person, sorted by date of delivery, and optionally the signatures associated with each delivery.

If a date has been entered, at block 606 the processor accesses the memory 18 and retrieves a list of the tracking numbers of parcels that have been signed out on that date, sorted by recipient, and optionally the recipients' signatures. This information may be displayed at block 607 in the manner shown in Fig. 7E. Information that does not fit on the screen 14 may be displayed by scrolling in a known manner.

If a tracking number has been entered, at block 608 the processor accesses the memory 18 and retrieves the date and time the parcel corresponding to the tracking number was signed out, the name of the recipient, and optionally the recipient's signature. The display of the retrieved information on the PDA screen is shown in Fig. 7F.

If a recipient location has been entered, at block 608a the processor accesses the memory 18 and retrieves and displays the dates and times, the recipients' names, and optionally the signatures for all parcels delivered or to be delivered at the selected location.

Thus, tracking information acquired by the PDA 12 can be accessed at any time using the PDA, and particularly can be queried before the PDA memory has been loaded up to another computer. This is an important feature of the invention because it eliminates a period of time during which tracking information acquired and stored in a portable data acquisition device otherwise would not be accessible.

If an external query has been selected, from block 602 in Fig. 6 the logic steps to block 609 for input of a query mode directed to a database file in the central tracking computer 45. Again tracking may be enabled by tracking number, name of sender or recipient, date, or location of sender or recipient (preferably plus the name of an organization). However, appropriate

security identification may be required to permit the person making the query to have access, particularly to broad lists by recipient or by date. At block 610, the processor causes the modem 22 to initiate communication with the computer 45. At block 611, the processor determines which query mode has been selected. If a tracking number has been entered, at block 612 the processor accesses the database file in the computer 45 and retrieves the scan history of the parcel associated with the entered tracking number. If a date and an organization have been entered, at block 613 a list of parcels received by the organization on the entered date is retrieved. If a sender's or recipient's name is entered, at block 614 a list of parcels sent by, received by, or in transit to the particular person is retrieved. The capability to retrieve the scan history of each parcel in these lists can be provided.

As indicated in Fig. 6, all query modes lead to block 607 for display or printing of the tracking information retrieved from the memory 18 or the computer 45. The PDA may be connected to the printer 48 in a conventional manner.

Referring again to Fig. 3, block 304 illustrates transfer of the information stored in the PDA memory 18 during distribution to the PC 40 using the infrared ports 23 and 42. The infrared port 42 associated with the PC may be of the type which intermittently polls a nearby device to determine whether data is ready to be transferred. Setting up the PC to accept data is done by selecting from a main menu shown in Fig. 9A a "File Transfer" routine, which causes the infrared port 42 to begin polling a nearby area. When a PDA is placed in the polling field of the infrared device 42, and a "PC Load" button (not shown) is tapped, the PDA is made ready to transfer data to the PC, but the PDA initially

may remain inactive to conserve battery power until the PC "File Transfer" routine is initiated. The PDA infrared port 23 receives the polling signal from the device 42, and responsive to such signal becomes active and sends an identification signal to the PC. The PC then sends a command to initiate data transfer from the PDA memory to the PC. When data transfer is occurring, a screen as shown in Fig. 9B appears on the PC and an animated graphic indicator 44 displays motion in the direction of the data transfer. Transfer of data from the PDA to the PC has dual purposes of consolidating the data files of several PDAs used within an organization and providing information that can be searched at the PC for tracking needs. The printer 48 can be used for hard copy back up.

From the PC main menu screen of Fig. 9A, the user can select a "Reports" menu as shown in the screen of Fig. 10A. Fig. 10B shows a report screen generated by selecting "Checked-Out Listing" from the menu of Fig. 10A. This report, which can be printed using the printer 48, lists, for each parcel tracking number, the date in, time in, date out, time out, recipient name and location, and a display of the recipient's signature. The report "Checked-In Listing" displays the date in, time in, and, if entered or downloaded into the system, the intended recipient's name and location. The reports "Location Listing" and "Recipient Listing" may display the above described information by location or name of recipient, respectively, and indicate the status of parcels which have not yet reached their destination (for example: "not checked out"). Searching may be facilitated by providing lists of possible locations and names from which the user may select the subject of a query. All listings may be printed.

The PDA processor 17 also may carry out a series of utility routines, as shown in Fig. 8. At the main menu, shown in Fig. 8A, the user may tap the "Utilities" button to view a "Utilities Menu" screen as shown in Fig. 8B. The user may then select between "Management Reports," "Site Configuration," "Call Management," and "DB Maintenance." Fig. 8C shows the "Management Reports" screen, from which the user can cause the processor to generate a variety of reports summarizing delivery activity tracked using the PDA 12. Fig. 8D shows the "Configuration" screen from which the user may adjust address and telephone information for the mail room location, and alter the configuration of interfaces with associated devices such as the wand 25, the modem 22, and the printer 48. Fig. 8E shows the "Database Maintenance" screen which allows the user to purge or repair the tracking information in the memory 18. Upon tapping the "Purge" button, a screen as in Fig. 8F appears containing all the tracking data in the PDA memory. Using a pull-down menu at the top of the screen, as shown, the user may command the processor to sort the parcels, for example by check-in date and time, by check-out date and time, by shipper, by tracking number, or by status. For example, the user might sort the data by check-out date and time, and then delete all the records older than a selected date.

The functions of the processor 17 and associated devices are controlled by software of a type known to those skilled in the art. Programmers of ordinary skill in the art will be able to provide software to carry out the specific functions described above. Also, the textual instructions and statements presented to the user on the PDA screens may be audibly announced using voice wave files and a voice chip often built into PDAs.

In summary, the present invention provides a tracking system particularly well-suited for an internal stage of parcel delivery within an organization, but also capable of communicating with an external tracking database maintained by the parcel delivery service which delivers parcels to the organization. Within the organization, verification of the location of critical parcels becomes possible, which may be made part of a quality management or security program.

On initial delivery of parcels, the user has the ability to check them into the PDA database using the attached bar code wand scanner or the key entry capabilities of the PDA touch-sensitive screen. On delivery within the organization to the intended recipient, the user has the ability to scan the parcel bar code or enter the recipient's employee number, and to capture the recipient's signature. No separate stylus is required for screen data entry. Delivery information query management allows the user to obtain tracking information by date, by tracking number, or by employee name or number or location. Communication by modem permits further tracking via the delivery service's remote database. Information can be loaded up to a PC for consolidation with similar information from other PDAs. The PC then can be used for tracking, display of signatures, data back up, and printing hard copies of delivery information covering periods of time, such as a day, a week, or a month.

It will further be understood that various changes in the details, materials, and arrangements of the parts and parameters which have been described and illustrated to explain the nature of the invention may be made by those skilled in the art without departing from the principle and scope of the invention as expressed in the following claims.

WHAT IS CLAIMED IS:

Claims

- 5 1. An electronic parcel tracking system for use
by an organization, comprising:
 an intelligent hand-held, portable data entry
and data processing device, including:
 a symbol reader;
10 a data entry and display screen capable of
receiving information input by contact therewith,
including signature information;
 an information storage device;
 a data transfer device; and
15 a processor connected to said reader, said
screen, said storage device, and said data transfer
device;
 said processor being configured to associate
and store in said information storage device data related
20 to a particular parcel, including symbol information
read by said reader, signature information acquired by
said screen, and keyed information acquired by said
screen,
 said electronic parcel tracking system
25 characterized in that:
 said symbol reader is wand-mounted;
 said data entry and display screen is capable
of displaying information input by contact therewith;
and
30 said processor is configured to respond to
queries about said particular parcel entered via said
screen by displaying said data associated with said
parcel.

2. The system of claim 1 further characterized in that:

5 said wand-mounted symbol reader includes a stylus tip; and

 said data entry and display screen is capable of receiving and displaying information input by use of said wand, including signature information.

10 3. The system of Claim 1 or 2, further comprising a central computer system located at a parcel delivery firm; and wherein said portable data entry device further comprises a modem for transferring
15 information related to said particular parcel between said information storage device and said central computer system, said electronic parcel tracking system further characterized in that said processor is configured to respond to queries about said particular
20 parcel entered via said screen by initiating communication with said central computer system via said modem, and displaying data associated with said parcel stored in said central computer system.

4. The system of Claim 1 or 2 further comprising:

a personal computer system located at a parcel receiving location of said organization,

5 said data transfer device being selectively operable to transfer information from said information storage device to said personal computer.

10 5. The system of Claim 1 or 2, wherein said processor is configured to respond to said queries made by name of recipient, by date, by a parcel tracking number, or by destination.

15 6. A method of entering information into a computer having a touch sensitive data entry and display screen, comprising the steps of:

scanning bar code information with a scanner;

and

20 transmitting said bar code information to said computer, said method characterized in that:



the scanner is a wand and has a transparent tip; and

25 said method further comprises the step of engaging said tip of said wand scanner with said data entry and display screen to cause touch sensitive data entry into said computer.

7. An electronic data acquisition and storage apparatus, comprising:


5 a touch sensitive data entry and display screen;
 a scanner configured to read bar codes; and
 an information storage device connected to
receive data from said screen and from said scanner,

10 said apparatus characterized in that said
scanner is a wand having a transparent tip capable of
inputting data into said screen by contact therewith.

**FIG. 1****FIG. 2**

SUBSTITUTE SHEET (RULE 26)

2/11



SUBSTITUTE SHEET (RULE 26)

3/11

United Parcel Service
Research & Development
Danbury, Connecticut 06810

TRACKPAD
Signature Capture Device for
Tracking Customer Delivery Information

CHECK IN

CHECK OUT

TRACK PACKAGES

UTILITIES

UNIT NO: 0000009
Unit Location: xxxxxxxxxxxx

FIG. 4A

Select Type of Input

SCANNER INPUT

DIAD INPUT

Exit Menu

FIG. 4B

Scan in any new packages

Tap here when finished.

Ready to scan packages.

Tracking Number:

Date And Time Checked In:

FIG. 4C

Scan in any new packages

Tap here when finished.

Package Successfully Checked In

Tracking Number:
1Z07000ED202437349

Date And Time Checked In:
8/18/94 - 1:01:29 PM

FIG. 4D

SUBSTITUTE SHEET (RULE 26)

4/11

DIAD Interface

Waiting For Data From DIAD...

DIAD receive mode Done Exit

FIG. 4E

DIAD Interface

DIAD Date File Created...


Total Packages Received - 141

Check In Data : 10/10/94

Check In Time :10:38:22 AM

DIAD receive mode Done Exit

FIG. 4F

 United Parcel Service
Research & Development
Danbury, Connecticut 06810

TRACKPAD
Signature Capture Device for
Tracking Customer Delivery Information

CHECK IN

CHECK OUT

TRACK PACKAGES

UTILITIES

UNIT NO: 0000009
Unit Location: xxxxxxxxxx

FIG. 5A

Scan in packages to be checked out

Tap here to CONTINUE

Tap here to CANCEL

Packages To Check Out:

FIG. 5B

SUBSTITUTE SHEET (RULE 26)

5/11

Scan in packages to be checked out

Tap here to CONTINUE

Tap here to CANCEL

Package Added Successfully.

Packages To Check Out:

1Z07000ED102650119 - 10/10/94 - 11:24
03450568741 - 10/10/94 - 11:24:31 AM

FIG. 5C

PLEASE ENTER RECIPIENT'S NAME

Tap here to CONTINUE

Tap here to CANCEL

RECIPIENT'S NAME:

First Name JOHN

Last Name DOE

1	2	3	4	5	6	7	8	9	0
Q	W	E	R	T	Y	U	I	O	P
A	S	D	F	G	H	J	K	L	'
Z	X	C	V	B	N	M	.	.	.

Clear Space/

FIG. 5D

Select Recipient's Address

Tap here to CONTINUE

Tap here to CANCEL

Selected Recipient's Address

2nd Flr, Data Entry Automation

Choice of On-Site Addresses

1st Flr, Cafeteria
1st Flr, Package Lab.
1st Flr, Reception
1st Flr, System Administration
1st Flr, Systems Lab
1st Flr, Loading/Unloading Dock
1st Flr, Billing
2nd Flr, Data Entry Automation
2nd Flr, Finance & Accounting
2nd Flr, General Administration
2nd Flr, Human Resources
None from Above

FIG. 5E

Please Sign & Confirm

Tap here to CONTINUE

Tap here to CANCEL

Recipient's Name

JOHN DOE

Recipient's Location

2nd Flr, Data Entry

Packages Checked Out:

1Z07000ED102650119 - 10/10/94 - 11:24
03450568741 - 10/10/94 - 11:24:31 AM

Tap here to CLEAR/RE-DO signature

Please Sign Below

John Doe

FIG. 5F

SUBSTITUTE SHEET (RULE 26)




FIG. 6
SUBSTITUTE SHEET (RULE 26)

7/11

United Parcel Service
Research & Development
Danbury, Connecticut 06810

TRACKPAD
Signature Capture Device for
Tracking Customer Delivery Information

CHECK IN

CHECK OUT

TRACK PACKAGES

UTILITIES

UNIT NO: 0000009
Unit Location: xxxxxxxxxx

FIG. 7A

TotalTrack Menu

TOTALTRACK

Internal Deliveries

EXIT TRACKING

FIG. 7B

SELECT QUERY MODE:

☐ By Data m 7 d 22 y 94

☐ By Last Name

☐ By Trk.No. (Last 3)

☐ By Location None Selected

QUERY EXIT QUERY

1 2 3 4 5 6 7 8 9 0
Q W E R T Y U I O P
A S D F G H J K L '
Z X C V B N M , .
Clear Space/ <

FIG. 7C

Please Select Recipient's Address

Tap here to CONTINUE

Tap here to CANCEL

Selected Recipient's Address
2nd Flr, Data Entry Automation

Choice of On-Site Addresses

1st Flr, Cafeteria
1st Flr, Package Lab.
1st Flr, Reception
1st Flr, System Administration
1st Flr, Systems Lab
1st Flr, Loading/Unloading Dock
1st Flr, Billing
2nd Flr, Data Entry Automation
2nd Flr, Finance & Accounting
2nd Flr, General Administration
2nd Flr, Human Resources
None from Above

FIG. 7D

SUBSTITUTE SHEET (RULE 26)

8/11

Daily Delivery Record

United Parcel Service
Research & Development
TracPad v1.10

Daily Delivery Record

Site: RnD
Date: 8/18/94 Time: 1:16:48 PM

1) List of Packages:
1ZE263680100001343
13190190365
13190190301
13190190276

Signed out on 7/22/94 at 10:41:10 AM
Signed out by: HAIDAI

2) List of Packages:
13190190310
13190190294

Signed out on 7/22/94 at 4:32:05 PM
Signed out by: ANNE ALLEN

FIG. 7E


Enter Tracking Number

1Z07000ED202437367

Signed out on 7/22/94 at 10:41:40 AM
Signed out by: ALEXANDER KACHEVSKY


1	2	3	4	5	6	7	8	9	0	
Q	W	E	R	T	Y	U	I	O	P	
A	S	D	F	G	H	J	K	L	.	
Z	X	C	V	B	N	M	.	.	.	
Clear					Space/					←

FIG. 7F

 United Parcel Service
Research & Development
Danbury, Connecticut 06810

TRACKPAD

Signature Capture Device for
Tracking Customer Delivery Information



UNIT NO: 0000009
Unit Location: xxxxxxxxxx

FIG. 8A

UTILITIES MENU

FIG. 8B

SUBSTITUTE SHEET (RULE 26)

9/11

Management Reports

Call Mgmt. Report

Daily Excpt. Report

Weekly Excpt. Report

Exit Mgmt. Reports

FIG. 8C

Configuration

— Site Information —

ID: RnD

Address: 5153 Kenosia Ave.
Danbury CT 06810

— Phone Numbers —

Host: 2037316389

FAX: 2037316340

— Devices —

Wand Modem Printer

Exit Configuration

FIG. 8D

Database Maintenance

Purge Database

Exit DB Maintenance

FIG. 8E

Sort By **Tracking Number**

Tracking Number

☐ Checking In Date & Time
☐ Checking Out Date & Time
☐ Shipper
☒ Tracking Number
☐ Service
☐ Status




19393621	10/05/94	17:57:0
19393621	10/05/94	17:57:0
19393621	10/05/94	17:57:0
19393629385	10/05/94	17:57:0
19393629387	10/05/94	17:57:0
19393629403	10/05/94	17:57:0
19393629421	10/05/94	17:57:0
19393629430	10/05/94	17:57:0
120500580100032116	10/05/94	17:57:0
121968231302300383	10/05/94	17:57:0
121968231302300392	10/05/94	17:57:0
121968231302300409	10/05/94	17:57:0
121968231302300418	10/05/94	17:57:0
121968231302300427	10/05/94	17:57:0
121968231302300436	10/05/94	17:57:0
121968231302300445	10/05/94	17:57:0
121968231302300463	10/05/94	17:57:0
121968231302300481	10/05/94	17:57:0

Sort Print Exit

FIG. 8F

SUBSTITUTE SHEET (RULE 26)

10/11

**FIG. 9B****FIG. 9A****FIG. 10A**

SUBSTITUTE SHEET (RULE 26)

11/11

PRESS ANY KEY FOR NEXT PAGE

PAGE 2

THE ABC COMPANY
1032 INDUSTRY DRIVE, NOWHERESVILLE, CA 30328

DATE IN TIME IN	TRACKING #	DATE OUT TIME OUT	RECIPIENT LOCATION	SIGNATURE
10/06/94 11:06	13150190338	10/06/94 11:07	SOMERS, JEROME	<i>Jerome Somers</i>
10/06/94 14:54	1Z1968231302301382	10/06/94 14:56	1ST FLR, SYSTEM ADMINISTRATION SMITH, JOHN	<i>John Smith</i>
10/06/94 14:54	1Z1968231302301408	10/06/94 14:57	2ND FLR, DATA ENTRY AUTOMATION JOHNSON, BILL	<i>Bill Johnson</i>
10/06/94 14:54	1Z1968231302301391	10/06/94 14:57	2ND FLR, HUMAN RESOURCES	
10/06/94 14:54	1Z1968231302301417	10/06/94 14:58	ROGERS, JANICE 1ST FLR, RECEPTION	<i>Janice Rogers</i>
10/06/94 14:54	1Z1968231302301435	10/06/94 15:00	ZIMMERMAN, MEGAN 2ND FLR, BILLING	<i>Megan Zimmerman</i>
10/06/94 14:54	1Z1968231302301426	10/06/94 15:00		
10/06/94 14:54	1Z1968231302301453	10/06/94 15:01	WRIGHT, JEFF 2ND FLR, FINANCE & ACCOUNTING	<i>Jeff Wright</i>
10/06/94 14:54	1Z1968231302301444	10/06/94 15:01		
10/06/94 14:54	1Z1968231302301462	10/06/94 15:02	OBRIEN, PAT 1ST FLR, LOADING/UNLOADING DOCK	<i>Patrick O'Brien</i>
10/06/94 14:55	1Z1968231302301471	10/06/94 15:02		
10/06/94 14:55	1Z1968231302301480	10/06/94 15:07	TREBUS, HERMAN 2ND FLR, GENERAL ADMINISTRATION	<i>Herman Trebus</i>
10/06/94 14:55	1Z1968231302301498	10/06/94 15:07		
10/06/94 14:55	1Z1968231302301347	10/06/94 15:08	ECHOLEM, JOE 2ND FLR, HUMAN RESOURCES	<i>Joe Echolem</i>
10/06/94 14:55	1Z1968231302301356	10/06/94 15:08		

SUBSTITUTE SHEET (RULE 26)

FIG. 10B

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 May 1996 (02.05.1996)

PCT

(10) International Publication Number
WO 96/13015 A3

(51) International Patent Classification⁶: **G06F 17/60**

Mark: Apartment No. 8, 1 Luffberry Avenue, Norwalk, CT 06851 (US).

(21) International Application Number: PCT/US95/13203

(74) Agents: PAPPAS, Peter, G. et al.; Jones & Askew, 37th floor, 191 Peachtree Street, N.E., Atlanta, GA 30303-1769 (US).

(22) International Filing Date: 13 October 1995 (13.10.1995)

(25) Filing Language:

English

(81) Designated States (*national*): CA, JP.

(26) Publication Language:

English

(84) Designated States (*regional*): European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(30) Priority Data:

08/323,118

14 October 1994 (14.10.1994) US

Published:

— with international search report


(71) Applicant: UNITED PARCEL SERVICE OF AMERICA, INC. [US/US]; 55 Glenlake Parkway, N.E., Atlanta, GA 30328 (US).

(88) Date of publication of the international search report:
20 December 2001

(72) Inventors: KADABA, Nagesh; 5 Hearthstone Drive, Brookfield, CT 06804 (US). MOKTAN, Hridai; 14 Chatham Court, Brookfield, CT 06804 (US). PATEL,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MULTI-STAGE PARCEL TRACKING SYSTEM



(57) Abstract: A delivery tracking system capable of tracking parcels during an internal stage of delivery within an organization after receipt of the parcel from a parcel delivery service. The system utilizes an intelligent, hand-held, portable data entry and data processing device to obtain signatures of recipients and scan codes printed on parcel labels, and to respond to tracking inquiries prior to transferring collected information to a different computer. Data is entered on a touch-sensitive screen of a personal digital assistant using the tip of a wand-type bar code scanner.

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/US 95/13203

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06F G06K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DOCUMENT DELIVERY WORLD, vol. 9, no. 3, April 1993, ISSN 1067-0815, US, pages 30-31, XP000560076 H. TOWLE: "On the fast track with TotalTrack: UPS deploys mobile data service" see page 30, middle column, last paragraph ---	1
X	EP,A,0 565 290 (IBM) 13 October 1993 see column 2, line 41 - line 55 see column 5, line 47 - column 6, line 28 ---	1-4
X	EP,A,0 573 018 (SYMBOL TECHNOLOGIES) 8 December 1993 see column 7, line 24 - line 46 see column 17, line 27 - column 18, line 24 --- -/-	6,7

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

10 July 1996

Date of mailing of the international search report

06 AUG 96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 551 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Pottiez, M

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 95/13203

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PROCEEDINGS OF THE INTERNATIONAL CONGRESS ON TRANSPORTATION ELECTRONICS, October 1992, SOCIETY OF AUTOMOTIVE ENGINEERS, INC. WARRENDALE, US, pages 371-382, XP000560489 H. KAWATA: "Information technology of commercial vehicles in the Japanese parcel service business" see page 375, left-hand column, paragraph 2 - right-hand column, last paragraph; figures 10,18 ---	1-4
Y	WO,A,94 02908 (TELXON) 3 February 1994 see page 4, line 9 - page 5, line 18 ---	1-4
A	WO,A,89 04016 (ZENGRANGE) 5 May 1989 see claims ---	1-5
A	US,A,5 278 399 (SANO) 11 January 1994 see column 3, line 57 - column 5, line 19 -----	6,7

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 95/13203

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. Claims 1-5: Electronic parcel tracking system.
2. Claims 6,7: Method and apparatus for touch sensitive and barcode data entry.

1. ☒ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 95/13203

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0565290	13-10-93	US-A- 5313051 CA-A- 2090712 JP-A- 6028380	17-05-94 07-10-93 04-02-94
EP-A-0573018	08-12-93	CA-A- 2097360 JP-A- 6096255 US-A- 5369262 US-A- 5508504	04-12-93 08-04-94 29-11-94 16-04-96
WO-A-9402908	03-02-94	US-A- 5334821 AU-B- 666575 AU-B- 4677393 EP-A- 0650618 JP-T- 8501400 US-A- 5408077 US-A- 5408078	02-08-94 15-02-96 14-02-94 03-05-95 13-02-96 18-04-95 18-04-95
WO-A-8904016	05-05-89	AU-B- 2800089	23-05-89
US-A-5278399	11-01-94	JP-A- 2253489	12-10-90

